

PUBLIC HEALTH ALERT

COVID-19 and Skin Changes in Children

Skin changes have been reported in approximately 20% of patients with COVID-19¹ and unusual presentations, including acrocyanosis, pernio-like changes, and acral ischemia, have recently been associated with SARS-CoV-2 infection.²-⁴ These may present as acrally distributed red-purple papules/nodules akin to pernio or cutaneous vasculitis. Children may be otherwise asymptomatic or may present with mild symptoms consistent with COVID-19.

These skin lesions should prompt clinicians to test for COVID-19 infection (SARS-CoV-2). This testing is necessary to ensure appropriate contact tracing and to initiate 14-day isolation periods for patients and family members, if indicated. In addition, a referral to a paediatric dermatologist for a complete assessment and further work-up should be considered.



Providers should continue to report all microbiologically confirmed cases of COVID-19 in a hospitalized child, or in a non-hospitalized child with serious co-morbid conditions, to the Canadian Paediatric Surveillance Program (CPSP).

The CPSP would like to thank Drs. Elena Pope and Irene Lara-Corrales, Division of Dermatology, Hospital for Sick Children, for providing the text for this important alert.

Figure 1. Photograph courtesy of the Hospital for Sick Children

References

- 1. Recalcati S. Cutaneous manifestations in COVID-19: a first perspective. J Eur Acad Dermatol Venereol 2020 Mar 26.
- 2. Balasubramanian S, Rao NM, Goenka A, Roderick M, Ramanan AV. Coronavirus Disease (COVID-19) in Children What We Know So Far and What We Do Not? Indian Pediatr 2020 Apr 9.
- 3. Mazzotta, F, Traccoli, T. Acute acro-ischemia in the child at the time of COVID-19. Dermatologia Pediatrica 2020.
- 4. Ye Q, Wang B, Mao J, Fu J, Shang S, Shu Q, Zhang T. Epidemiological analysis of COVID-19 and practical experience from China. J Med Virol 2020 Apr 1.